



Multi 3 Games

mobile posts

Instructions

ID: 63499

EAN: 8591792634990

e-sportshop.cz

Package contents

metal base blue, 2 pieces
two-part adjustable posts, 2 pieces
reinforcing bars, 4 pieces
cover nuts for fixing posts, 8 pieces
short bolts for attaching reinforcing bars, 4 pieces
screw with wing nut for fixing reinforcing bars,2 pieces
long screws for fixing wheels, 4 pieces
locking screw, 2 pieces
winding mechanism handle, 1 piece

Assembly instructions

- 1. Unscrew all screws and cover nuts on the blue base.
- 2. Open the blue base and remove the fittings and accessories.
- 3. Using long screws, screw the wheels to the axis into the threaded hole in the sides of the bases.
- 4. Insert the minimum recommended load inside the blue boxes, at least 60 kgs into each box. The load is not part of the package.

We recommend inserting, for example, bags with sand or other loose material.

Warning

It is not possible to use the posts without an inserted load, as they would not be stable enough. Before starting thegame, make sure that the posts are sufficiently secured and cannot tip over!

After closing the base, place the lower part of the posts on the threaded studs and fasten them with the cover nuts. Screw a metal roller with a locking pin and a screw into the post hole.

Install the 2 reinforcing bars between the post and the base box. First, measure the distance between the base and the post and unscrew the terminals accordingly. Attach the reinforcing bars to the post with a screw and a wing nut. Attach them to the stand with two short screws. Bend the strut ends slightly to adjust by bending the slope at the joint.

Instructions for use

- Tilt the assembled posts, including the inserted load, and use wheels to transport them to the field.
- Loosen the locking screw in the metal roller on the side of the column to the maximum. Extend the top column to select the desired height. The holes in the upper post must be directed directly against the locking pin. After setting the required height, make sure that the locking pin fits into the hole in the post. Then make sure to tighten the locking screw to the maximum and make sure that the upper post is firmly held in the lower post.
- Tighten the net with the upper pulley and the loop winding mechanism and secure it by attaching it to the hooks.
- The posts allow you to stretch the net in up to 7 heights: 155 cm badminton 180,190, 200, 210, 224, 243 cm volleyball

Use the hooks on the inside of the bottom post to place the net at lower heights. Slide the upper post into the lower one to the maximum and attach the net to the hooks without using a tensioning mechanism. Suitable for soft tennis, for example.





Importer to Czech Republic:

RADANSPORT s.r.o.

Za Otýlií 10 370 01 České Budějovice email: obchod@e-sportshop.cz phone: +420 387 411 543